







Linear HP wall washer



FEATURES

- 6063 high density extruded aluminium alloy
- Silk screened tempered glass cover
- High purity PMMA optics by
- Chamber pressure balance component
- Extention cable with quick connect plug, with silver anodised conductor
- . Araliable in charcoalgrey, black and white finishing
- · External driver for easy maintainance
- Dynamic white RGB,RGBW
- . Dimming compatible with DMX ,DALI
- · High colour rendering,Ra>80
- Ra 90 is avaliable for 2700k 3000k
- 24 Vdc

CE ⋘ IP65 RoHS

VERSIONS








Macau • Hong Kong • China • Australia



Linear HP wall washer white






	WATT	OPTIC	CODE	WATT	OPTIC	CODE
IICHIA	2700K			3000K		
REE	12W	10"	DM0501.10	12W	10*	DM0502.10
11.6	12W	15"	DM0501.15	12W	15"	DM0502.15
	12W	30"	DM0501.30	12W	30"	DM0502.30
	12W	15°×40°	DM0501.AS	12W	16'×40"	DM0502.AS
	WATT	OPTIC	CODE	WATT	OPTIC	CODE
	4000K			5000K		
	12W	10"	DM0503.10	12W	10"	DM0504.10
	12W	15"	DM0503.15	12W	15"	DM0504.15
	12W	30"	DM0503.30	12W	30"	DM0504.30
	1.2W	15°× 40°	DM0603.AS	12W	15"×40"	DM0504.AS
	10"			151		
	90"	A 90"		ea. V	**	Λ
	40"			45"		
	and the same of	20000 30° 0 30° 00000 manus	Green and and and and and and and and and an	200	300 area	-
	30"			15"×40"	174 410	
	90"	A 90	Δ	THE ST	100-00	



Linear HP wall washer white






	WATT	OPTIC	CODE	WATT	OPTIC	CODE
CHIA	2700K			3000K		
REE	24W	10"	DM1001.10	24W	10*	DM1002.10
The state of the s	24W	15"	DM1001.15	24W	15"	DM1002.15
	24W	30"	DM1001.30	24W	30"	DM1002.30
	24W	15°×40°	DM1001.AS	24W	16'×40"	DM1002.A
	WATT	орпс	CODE	WATT	орпс	CODE
	4000K			5000K		
	24W	10"	DM1003.10	24W	10	DM1004.10
	24W	15"	DM1003.15	24W	15"	DM1004.15
	24W	30"	DM1003.30	24W	30"	DM1004.30
	24W	15°× 40°	DM1003.AS	24W	15'×40"	DM1004.A
	10°			15		
	90"	A 60°		ea. V	**	Λ
	er.			45"	4	
	30°	20000 6 300 30000	000 -000	200		100 -040
	30"		(a)	15"×40"	- 22 32	
	90"	A 80	\cap	···	90"	Δ.




Linear HP wall washer white

SINGLE CHIP








Macau • Hong Kong • China • Australia




DECOLINE MINI

Linear HP wall washer white










DECOLINE MINI

Linear HP wall washer white





	WATT	OPTIC	CODE	WATT	OPTIC	CODE
NICHIA	2700K			3000K		
CREE	36W	Asy2×25°	DM1201.2T	36W	Asy2×25*	DM1202.2T
CHEE	36W	Asy25°	DM1201.1T	36W	Asy25	DM1202.1T
	36W	30"	DM1201.30	36W	30"	DM1202.30
	36W	15°× 40°	DM1201.AS	36W	15"× 40"	DM1202.AS
		220/02/2	140808	=101000	09624539	
	WATT	OPTIC	CODE	WATT	OPTIC	CODE
	4000K			5000K		
	36W	Asy2×25"	DM1203.2T	36W	Asy2×25"	DM1204.2T
	36W	Asy25°	DM1203.1T	36W	Asy25°	DM1204.1T
	36W	30"	DM1203.30	36W	30"	DM1204.30
	36W	15"×40"	DM1203.AS	36W	15"×40"	DM1204.AS
	Asy2>	45°	COSH	Asy25	30"	STEP IT ST
	30"	50		15"× 40"	901	
	45	45°		49") ***	





DECOLINE LINEAR HP WALL WASHER





















DECOLINE MINI Linear Pixel

FEATURES

- 6063 high density extruded aluminium alloy
- · Silk screened tempered glass cover
- Chamber pressure balance component
- · Extention cable with quick connect plug, with silver anodised conductor
- · Araliable in charcoalgrey, black and white finishing
- · External driver for easy maintainance
- · Dynamic white RGB,RGBW
- . Dimming compatible with DMX ,DALI
- High colour rendering, Ra>80
- Ra 90 is avaliable for 2700k 3000k
- 24 Vdc
- · Optional 10 pixel or 20 pixel per meter









VERSIONS












DECOLINE

Linear HP wall washer RGB





	WATT	OPTIC	CODE	WATT	OPTIC	CODE
NICHIA	RGB			RGBW		
CREE	5W	120"	DMP0511.00	5W	120°	DMP0512.00
	10W	120*	DMP1011.00.	10W	120"	DMP1012.00
	WATT	OPTIC	CODE			
	DYNAMI	C WHITE				
	10.114.000					
	5W	120"	DMP0506.00			







DECOLINE

Linear HP wall washer



FEATURES

- 6063 high density extruded aluminium alloy
- Silk screened tempered glass cover
- · High purity PMMA optics by
- Chamber pressure balance component
- Extention cable with quick connect plug, with silver anodised conductor
- . Araliable in charcoalgrey, black and white finishing
- · External driver for easy maintainance
- Dynamic white RGB,RGBW
- . Dimming compatible with DMX ,DALI
- High colour rendering, Ra>80
- Ra 90 is avaliable for 2700k 3000k
- 24 Vdc









VERSIONS








Macau • Hong Kong • China • Australia



DECOLINE

Linear HP wall washer white eco





CODE	OPTIC	WATT	CODE	OPTIC	WATT	
		3000K			2700K	NICHIA
DL0502.23	23+	18W	DL0501,23	23"	18W	CREE
DL0502.45	45"	18W	DL0501.45	45"	18W	
DL0502.AS	10°×50°	18W	DL0501,AS	10"×60"	18W	
CODE	OPTIC	WATT	CODE	OPTIC	WATT	
		5000K			4000K	
DL0504.23	23"	18W	DL0503.23	23.	18W	
	45	18W	DL0503,45	45"	18W	
DL0504.45 DL0504.AS	10"×50"	18W	DL0503,AS	10"×50"	18W	



DECOLINE

Linear HP wall washer white eco





CODE	OPTIC	WATT	CODE	OPTIC	TTAW	
		3000K			2700K	NICHIA
DL1002.23	23"	30W	DL1001.23	23"	30W	CREE
DL1002.45	45*	30W	DL1001,45	45°	30W	
DL1002.AS	10°×50°	30W	DL1001.AS	10°×50°	30W	
CODE	ортіс	WATT	CODE	OPTIC	WATT	
		5000K			4000K	
DL1004.23	23"	30W	DL1003.23	23"	30W	
DE1004.23	45"	30W	DL1003.45	451	30W	
DL1004.45	90					




DECOLINE


Linear HP wall washer white





	WATT	OPTIC	CODE	WATT	OPTIC	CODE
NICHIA	2700K			3000K		
CREE	9W	10"	DL0301.10	9W	10"	DL0302,10
	9W	15"	DL0301.15	BW	15"	DL0302.15
	9W	30"	DL0301.30	9W	30~	DL0302.30
	9W	15"×40"	DL0301.AS	9W	15°× 40°	DL0302.AS
	<u>~</u>					
	WATT	OPTIC	CODE	WATT	OPTIC	CODE
	4000K			5000K		
	9W	10"	DL0303,10	9W	10"	DL0304.10
	9W	15"	DL0303.15	9W	15"	DL0304.15
	9W	30"	DL0303.30	9W	30"	DL0304.30
	9W	15°×40°	DL0303.AS	9W	15°×40°	DL0304.AS
	81					
	9"			15"		
	90*	1 10	1	99"	00'	1
	125	40000		100	100×1	
	45	40		45"	45"	








DECOLINE


Linear HP wall washer white





CODE	OPTIC	WATT	CODE	OPTIC	WATT	
		3000K			2700K	NICHIA
DL0602.1	10"	18W	DL0601,10	10"	18W	CREE
DL0602.1	15"	18W	DL0601.15	15"	18W	
DL0602.3	30"	18W	DL0601.30	30"	18W	
DL0602.A	15"× 40"	18W	DL0601.AS	15"× 40"	18W	
cobi	ортіс	WATT	CODE	OPTIC	WATT	
5000K					4000K	
DL0604.18	10"	18W	DL0603.10	10"	18W	
DL0604,15	15"	18W	DL0603,15	15"	18W	
DL0604,38	30"	18W	DL0603.30	30"	18W	
DL0604.A	15"×40"	18W	DL0603.AS	15"×40"	18W	
		15"			9.	








DECOLINE


Linear HP wall washer white





	WATT	OPTIC	CODE	WATT	OPTIC	CODE
ICHIA	2700K			3000K		
REE	36W	10"	DL1201,10	36W	10"	DL1202,10
	36W	15"	DL1201.15	36W	15"	DL1202,15
	36W	30"	DL1201.30	36W	30"	DL1202.30
	36W	15'×40'	DL1201.AS	36W	15'× 40'	DL1202.AS
	WATT	OPTIC	CODE	WAIT	ОРТІС	CODE
	4000K			5000K		
	36W	10"	DL1203,10	36W	10"	DL1204,10
	36W	15"	DL1203.15	36W	15"	DL1204.15
	36W	30"	DL1203.30	36W	30	DL1204.30
	36W	15"× 40"	DL1203.AS	36W	15"× 40"	DL1204.AS







DECOLINE

Linear HP wall washer white dynamic

SINGLE CHIP





	WATT	OPTIC	CODE	WATT	OPTIC	CODE
NICHIA	2700K	+5000K		2700K	+5000K	
CREE	6W	10"	DL0306.10	18W	10"	DL0606,10
	6W	15°	DL0306.15	1.8W	15"	DL0606.15
	6W	40°	DL0306.34	18W	40"	DL0606.34
	6W	15"×40"	DL0306.AS	18W	15°×40°	DL0606.AS
	WATT	OPTIC	CODE			
	WATT	ОРТІС	CODE			
	2700K	C+5000K				
	SEIN	105	DI 1206 10			

DL1206.15

DL1206.34

DL1206.AS

0	901		1
333	888	1	
et.	46		
20	30	APPENDE	TO STATE

36W


36W


36W

15"

40"

15°× 40°










DECOLINE

Linear HP wall washer RGB

SINGLE CHIP





	WATT	OPTIC	CODE	WATT	OPTIC	CODE
ICHIA	6W 6W		DL0311.34 DL0311.AS	18W 18W	30° 15'×40°	DL0611.34 DL0611.AS
	WATT	OPTIC	CODE			
	36W 36W		DL1211.34 DL1211.AS			
	30"			15°×40°		
	45	40°		41-		Λ



Macau • Hong Kong • China • Australia




DECOLINE

Linear HP wall washer RGBW

SINGLE CHIP





CODE	OPTIC	WATT	CODE	OPTIC	WATT	
DL1212.30 DL1212.AS	30° 15'×40°	48W 48W	DL0612.30 DL0612.AS	30° 15°×40°	24W 24W	NICHIA
CODE	ортіс	WATT	CODE	OPTIC	WATT	
DL1213.30 DL1213.AS		48W 48W	DL0613.30 DL0613.AS		24W 24W	
		15"×40"				
Λ) .	**		\ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \	45	
THIS ISSUE OF	45	* /	GCS			



Macau • Hong Kong • China • Australia



DECOLINE LINEAR HP WALL WASHER















Linear HP wall washer Glare Control



FEATURES

- 6063 high density extruded aluminium alloy
- Silk screened tempered glass cover
- High purity PMMA optics by
- Chamber pressure balance component
- Extention cable with quick connect plug, with silver anodised conductor
- . Araliable in charcoalgrey, black and white finishing
- · External driver for easy maintainance
- · Dynamic white RGB,RGBW
- . Dimming compatible with DMX ,DALI
- High colour rendering, Ra>80
- Ra 90 is avaliable for 2700k 3000k
- 24 Vdc

CE ⋘ IP65 RoHS

VERSIONS











DECOLINE GC

Linear HP wall washer Glare Control











DECOLINE GC

Linear HP wall washer Glare Control










DECOLINE GC

Linear HP wall washer Glare Control





	TTAW	OPTIC	CODE	WATT	OPTIC	CODE
	2700K			3000K		
NICHIA	36W	10"	DGC1201.10	36W	10"	DGC1202.10
CREE	36W	15°	DGC1201.15	36W	15"	DGC1202.15
	36W	30"	DGC1201.30	36W	30"	DGC1202.30
	36W	15"× 40"	DGC1201.AS	36W	15"×40"	DGC1202.AS
	WATT	ортіс	CODE	WATT	OPTIC	CODE
	10000	10.500 III		11911		1/2575
	4000K	ê		5000K		
	36W	10"	DGC1203.10	36W	10"	DGC1204.10
	36W	15"	DGC1203.15	36W	15"	DGC1204.15
	36W	30"	DGC1203.30	36W	30"	DGC1204.30
	36W	15"×40"	DGC1203.AS	36W	15°×40°	DGC1204.AS
	10°			15'		
	90"	40		45*	45"	A
	- 30	10000	11	54	00	111
	30"	0. 301	AFFFAT DF 15 BF AF	30" 0	307	er ar ar er ar er er er
		—0407 HAVE		men or con	seco de	oscia —oscos
	30"			15°×40°		
	90'	A **		90°	801	
	45	401	T VIV	45	4	$\square M \square$















DECOLINE PLUS

Linear HP wall washer



FEATURES

- · 6063 high density extruded aluminium alloy
- · Silk screened tempered glass
- · High purity PMMA optics by
- Chamber pressure balance component
- Extention cable with quick connect plug, with silver anodised
- . Araliable in charcoalgrey, black and white finishing
- · External driver for easy maintainance
- · Dynamic white RGB,RGBW
- · Dimming compatible with DMX ,Artnet
- 12Vdc-24Vdc
- 24 Vdc
- · 10 pinel permeter









VERSIONS












DECOLINE PLUS


Linear HP wall washer white





	TTAW	OPTIC	CODE	WATT	OPTIC	CODE
CHIA	2700K			3000K		
REE	12W	10"	DP0301,10	12W	10"	DP0302.10
	12W	15"	DP0301.15	12W	15"	DP0302.15
	12W	30"	DP0301.30	1.2W	30"	DP0302.30
	12W	15"× 40"	DP0301.AS	12W	15"×40"	DP0302.AS
	WATT	OPTIC	CODE	WATT	ОРТІС	CODE
	4000K			5000K		
	12W	10"	DP0303.10	12W	10"	DP0304.10
	12W	15"	DP0303,15	12W	15"	DP0304.15
	12W	30"	DP0303.30	12W	30"	DP0304.30
	12W	15"×40"	DP0303.AS	12W	15"×40"	DP0304.A8
	10°			15"		








DECOLINE


Linear HP wall washer white

SINGLE CHIP





	WATT	OPTIC	CODE	WATT	OPTIC	CODE
NICHIA	2700K			3000K		
CREE	24W	10"	DP0601,10	24W	10"	DP0602.10
	24W	15"	DP0601,15	24W	15"	DP0602.15
	24W	30"	DP0601.30	24W	30"	DP0602.30
	24W	15°×40°	DP0601.AS	24W	15°× 40°	DP0602.AS
	WATT	OPTIC	CODE	WATT	ОРТІС	CODE
	4000K			5000K		
	24W	10"	DP0603.10	24W	10"	DP0604.10
	24W	15"	DP0603,15	24W	15"	DP0604.15



DP0603.30


DP0603.AS


24W

24W

30"

15°×40°





30"


15"× 40"

DP0604.30

DP0604.AS

24W

24W



Macau • Hong Kong • China • Australia




DECOLINE PLUS


Linear HP wall washer white





	WATT	OPTIC	CODE	WATT	OPTIC	CODE
ICHIA	2700K			3000K		
REE	48W	10"	DP1201,10	48W	10"	DP1202.10
	48W	15"	DP1201.15	48W	15"	DP1202.15
	48W	30"	DP1201.30	48W	30"	DP1202.30
	48W	15"× 40"	DP1201.AS	48W	15"×40"	DP1202.AS
	WATT	ортіс	CODE	WATT	ОРТІС	CODE
	4000K			5000K		
	48W	10"	DP1203.10	48W	10"	DP1204.10
	48W	15"	DP1203,15	48W	15"	DP1204.15
	48W	30"	DP1203.30	48W	30"	DP1204.30
	48W	15'×40'	DP1203.AS	48W	15°× 40°	DP1204.AS
	10°			15°		








DECOLINE PLUS

Linear HP wall washer white dynamic


SINGLE CHIP








	WATT	OPTIC	CODE	WATT	OPTIC	CODE
NICHIA	2700K	+4000+5000	K	3000K	+4000+5000k	0
CREE	12W	10"	DP0306.10	24W	10"	DP0606.10
	12W	15"	DP0305.15	24W	15"	DP0606.15
	12W	30"	DP0306.30	24W	30"	DP0606.30
	12W 15"×40" DP0305,AS			24W	15°× 40°	DP0606.AS
	WATT	OPTIC	CODE			
	4000K	+4000+5000	ж			
	48W	10"	DP1206.10			
	48W	15"	DP1205.15			
	48W	30"	DP1206.30			





DP1206.AS

15"×40"

48W









Macau • Hong Kong • China • Australia



DECOLINE PLUS

Linear HP wall washer RGB



1200

	WATT	OPTIC	CODE	WATT	OPTIC	CODE
NICHIA CREE	12W 12W	30° 15°×40°	DP0311.10 DP0311.15	24W 24W	30° 15°×40°	DP0311.10 DP0311.15
	WATT	OPTIC	CODE			
	36W 36W		DP0311.10 DP0311.15			
	30"			15"×40"		
	45"	A				Λ





DECOLINE PLUS

Linear HP wall washer RGB



• 1200 •	600		
70.00	120	00	
100000000000000000000000000000000000000	•72	92.	


	OPTIC	CODE	WATT	OPTIC	CODE
24W 24W	30° 15°×40°	DP0612.30 DP0612.AS	48W 48W	30° 15°×40°	DP1212.30 DP1212.AS
WATT	OPTIC	CODE	WATT	ОРТІС	CODE
24W 24W			48W 48W	30° 15'×40°	DP1213.30 DP1213.AS
30"			15"×40"		
45	46		60.	48"	Λ
	WATT 24W 24W	24W 15°×40° WATT OPTIC 24W 30° 24W 15°×40° 30° 60° 60°	24W 15"×40" DP0612.AS WATT OPTIC CODE 24W 30" DP0613.30 24W 15"×40" DP0613.AS	24W 15"×40" DP0612.AS 48W WATT OPTIC CODE WATT 24W 30" DP0613.3G 48W 24W 15"×40" DP0613.AS 48W 30" 15"×40" P0613.AS 48W	24W 15×40° DP0612.AS 48W 15×40° WATT OPTIC CODE WATT OPTIC 24W 30° DP0613.30 48W 30° 24W 15×40° DP0613.AS 48W 16×40° 30° 48W 15×40° 48° 48° 48° 48° 48° 48° 48° 48° 48° 48














DECOLINE MINI

Linear HP wall washer Interior






	WATT	OPTIC	CODE		WATT	OPTIC	CODE
NICHIA	2700K				3000K		
CREE	12W	10"	DMI0501.10		12W	10"	DMI0502.10
CHEE	12W	15"	DMI0501.15		12W	15"	DMI0502.15
	12W	30"	DMI0501.30		12W	30"	DMI0502.30
	12W	15°× 40°	DMI0601.AS		12W	15"× 40"	DMI0502.AS
	WATT	OPTIC	CODE				
	4000K						
	12W	10"	DMI1053.10		12W	10-	DMI1054_10
	12W	15"	DMI1053.15		12W	15"	DMI1054_15
	12W	30"	DMI1053.30		12W	30-	DMI1054.30
	12W	15°×40°	DMI1053.AS		12W	15°× 40°	DMI1054.AS
	10°				151		
	90*	1 00			901	90'	1
	45*	45			45*	45	
	30.	20000 0' 301	AFEF NF 2F 1F 2F AFF	Pike Men	DO. C	301	17 AT BY 17 AT AT AT AT A
	30"			-	15°×40°		
	90'	A ***	\cap		90"	N 90"	M
	45"	46'			45"	.,	///



DECOLINE MINI

Linear HP wall washer Interior





	WATT	OPTIC	CODE	WATT	OPTIC	CODE
NICHIA	2700K			3000K		
CREE	24W	10"	DMI1001.10	24W	10"	DMI1002.10
CREE	24W	15"	DMI1001.15	24W	16"	DMI1002.15
	24W	30"	DMI1001,30	24W	30"	DMI1002.30
	24W	15°× 40°	DMI1001.AS	24W	15"×40"	DMI1002.AS
	WATT	OPTIC	CODE			-
	4000K					
	24W	10"	DMI1003.10	24W	10-	DMI1004_10
	24W	15"	DMI1003.15	24W	15"	DMI1004_15
	24W	30"	DMI1003.30	24W	30-	DMI1004.30
	24W	15°×40°	DMI1003.AS	24W	15°×40°	DMI1004.AS
	10"			15"		
	90*	40		901	00'	1
	45	45		45*	40	
	13/4	20000		1	190	
	30: 04100	0' 305 —01019 ==.09	OCH -OCH MACH	SO OCOM	201	000 -000
	30"			15°×40°		
	80*	Λ 10	\cap	90"	A 90"	
	133	A		53/		$-\Lambda$
	45"	46"		45*	45	- ///
	100	U		044	000	1111